



PRESS RELEASE

Saving energy is "in", even neurons are joining in

Bonn researchers clarify how energy regulates the spatial arrangement and quantity of molecules in nerve cells

Bonn, February 07 - Nerve cells have amazing strategies to save energy and still perform the most important of their tasks. Researchers from the University Hospital Bonn (UKB) and the University of Bonn as well as the University Medical Center Göttingen found that the neuronal energy conservation program determines the location and number of messenger RNA (mRNA) and proteins, and differs depending on the length, longevity and other properties of the respective molecule. The work has now been published in the journal "Nature Communications".

We have all experienced the need to save energy in recent years. To do this, we all had to come up with strategies to save energy while still meet our most important needs. "Our nerve cells are facing a similar dilemma: They have to supply their synapses, i.e. their contact points with other neurons, but also organize their protein synthesis in such a way that they don't produce too much or too little proteins. At the same time, they have to transport the proteins over long distances to the synapses and also pay attention to their energy budget. How do they manage this?" asked the research team led by corresponding author Prof. Prof. Tatjana Tchumatchenko, research group leader at the Institute for Experimental Epileptology and Cognition Research at the UKB and member of the Transdisciplinary Research Areas (TRA) "Life and Health" and "Modeling" at the University of Bonn.

Energy-saving measures explain protein distributions

Despite its relatively small size, the brain consumes around 20 percent of the body's total energy. As with all cells, neuronal functions are subject to strict energy constraints, which are particularly pronounced in the brain due to its high energy requirements. The research team was able to show that the synthesis and degradation of all neuronal molecules represents a particularly high cellular energy expenditure and therefore requires energy-saving measures. All cells, including neurons, require proteins to function properly. These are produced through a process known as gene expression, in which the relevant information is copied from a gene into messenger RNA (mRNA). The mature mRNA is then translated into the required protein. Thanks to advances in biochemistry and microscopy, it is now possible to precisely map the location of individual mRNA copies and the corresponding proteins in cells and quantify the number for thousands of mRNA and protein species. For the first time, this enables researchers to study complex organizational principles that control spatial gene expression patterns and apply across all types of molecules.

Comm. Chairman of the Board

Prof. Dr. Bernd Weber Tel: +49 228 287-10900 Fax: +49 228 287-9010900 bernd.weber@ukbonn.de

Communication and media

Viola Röser Management

Tel: +49 228 287-10469 viola.roeser@ukbonn.de

Bonn University Hospital Communication and media Venusberg Campus 1 Build 02 53127 Bonn







The research team combined experimental data from more than ten large-scale mRNA and proteomics screens involving tens of thousands of molecular species. "We found that the drive to conserve energy determines mRNA and protein number and location, affecting each molecular species differently depending on the length, lifetime and other properties of the molecule," explains first author Cornelius Bergmann, a PhD student of the University Bonn at the Institute of Experimental Epileptology and Cognition Research at the UKB.

The results show that the energetic costs for synthesis, transport and degradation of molecules, their spatial localization and the total number are limited to energy-efficient solutions. "If certain short-lived proteins were synthesized in the cell body, a large proportion of them would not arrive alive at the synapses due to the long travel time," adds Prof. Tchumatchenko. "This would be a waste of energy on proteins that cannot fulfill their task." The model calculations in the present study show that proteins are therefore preferably synthesized in the branched, tapering extensions of a nerve cell, the so-called dendrites, if the energy loss "on the way" from the cell body to the synapses is greater than the energy required to transport the mRNA into the dendrites.

New perspective on gene expression studies

However, the research team's findings go beyond energy conservation. "Our results shed light on the organizational principles of gene expression in cells that act across different molecular species and go beyond individual regulatory mechanisms," says co-author Prof. Silvio Rizzoli, Director of the Department of Neuro- and Sensory Physiology at the University Medical Center Göttingen, spokesperson of the Center for Biostructural Imaging of Neurodegeneration (BIN) and member of the Cluster of Excellence "Multiscale Bioimaging: from molecular machines to networks of excitable cells" (MBExC).

The most surprising result for the research team was that the physical properties of proteins, such as length or lifetime, and not their specific function, have such a strong influence on the energy budget and thus on the site of their synthesis. Co-author Kanaan Mousaei, a doctoral student of the University Bonn at the Institute of Experimental Epileptology and Cognition Research at the UKB, emphasizes: "Our model offers a new perspective for correlating dozens of existing data sets from different laboratories."

Promotion:

ERC Starting Grant MolDynForSyn awarded by the European Research Council.

Publication: Cornelius Bergmann, Kanaan Mousaei, Silvio Rizzoli, Tatjana Tchumatchenko: How energy determines spatial localization and copy number of molecules in neurons; Nature Communications; DOI: 10.1038/s41467-025-56640-0 <u>https://www.nature.com/articles/s41467-025-56640-0</u>

Scientific contact:


Prof. Tatjana Tchumatchenko Institute for Experimental Epileptology and Cognitive Research





University Hospital Bonn (UKB) TRA "Modeling" & "Life and Health", University of Bonn E-Mail: tatjana.tchumatchenko@uni-bonn.de

Image material



Caption: Neurones can save energy if they produce (blue arrow pointing downwards) some proteins directly in their dendrites (right in the picture). If, on the other hand, mRNA remains in the cell body (left) and forms the proteins there, more energy would be required to supply all synapses with proteins (red arrow pointing upwards).

Picture credits: Illustration by Julia Kuhl

Press contact:

Dr. Inka Väth Deputy Press Officer at the University Hospital Bonn (UKB) Communications and Media Office at Bonn University Hospital Phone: (+49) 228 287-10596 E-mail: inka.vaeth@ukbonn.de

About Bonn University Hospital: The UKB treats around 500,000 patients per year, employs around 9,500 staff and has total assets of 1.8 billion euros. In addition to the 3,500 medical and dental students, 550 people are trained in numerous healthcare professions each year. The UKB is ranked first among university hospitals (UK) in NRW in the Focus Clinic List, had over 100 million third-party funds in research in 2023 and has the second highest case mix index (case severity) in Germany. The F.A.Z. Institute awarded the UKB first place among university hospitals in the category "Germany's Training Champions 2024".